

Data Sheet | Item Number: 221-942

Jumper; for conductor entry; 2-way; insulated; dark gray

<https://www.wago.com/221-942>



Color: ■ dark gray



Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	400 V
Rated current	41 A

Physical data

Width	12.3 mm / 0.484 inches
Height	3.8 mm / 0.15 inches
Depth	23.9 mm / 0.941 inches
Jumper assignment	1-2

Material data

Note (material data)	Information on material specifications can be found here
Color	dark gray
Insulation material (main housing)	Polyamide (PA66)
Fire load	0 MJ
Weight of insulation material	0.28 g
Weight	2.7 g

Environmental requirements

Continuous operating temperature	-60 ... +105 °C
----------------------------------	-----------------

Commercial data

ETIM 9.0	EC000489
ETIM 8.0	EC000489
PU (SPU)	5 pcs
Packaging type	Bag
Country of origin	CN
GTIN	4055144067965
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search		
Environmental Product Compliance 221-942		↓

Documentation

Bid Text		
221-942	docx 27.51 KB	↓
221-942	xml 2.96 KB	↓

CAD/CAE-Data


CAD data

2D/3D Models 221-942




Installation Notes

Commoning




Extending the N and PE (ground) distribution via jumper

Commoning




Insert the jumper without a locking function into open clamping units.

Commoning



Without a locking function:
The jumper without a locking function is plugged into the splicing connectors.

Commoning



Remove the jumper from open clamping units.